


## Stop It® Pipe Repair System

Works on any metal or plastic pipe: copper, aluminum, galvanized, black iron, stainless steel, PVC, CPVC, polyethylene, and even PVDF.

### Features:

- Instantly stops leaks in metal and plastic pipe with minimal or no shut down
- Reinforces pipe joints - adds strength to any connection
- Works up to 400 psi
- Withstands 250 deg F continuous, and 500 deg F intermittent
- More permanent repair than clamps or epoxies alone



### Ordering Information: Std. Pack - 10/case

Part No.	Description	Part No.	Description
24786	2" x 4 ft, color white	21225	2" x 12 ft, color black
24257	2" x 4 ft, color black	41278	4" x 12 ft, color white
21278	2" x 12 ft, color white	41225	4" x 12 ft, color black

## Fix Stix™ - 20 Minute Epoxy

A ready to use hand-moldable, industrial strength, steel filled epoxy that stops leaks, fill holes and cracks, bond and repair almost anything.

### Features:

- No hot work or special tools required
- Sets rock hard in about 20 minutes, works underwater and in a wide temperature range
- Non-toxic, solvent free, has little odor
- Can be used on potable water lines and has excellent chemical resistance
- Can be machined, threaded and painted after curing
- Will not shrink crack or pull away



### Ordering Information

Part No.	Description
34879	Unit size: 3.6" x 7/8" , 28/case



## Fusion Tape™ - Self-Fusing Silicone Electrical Tape

Simple to use, all purpose self-fusing tape is superior to shrink wrap tubing and vinyl tapes. Fusion Tape™ bonds into a permanent, inseparable, cohesive insulator at room temperature and has a dielectric strength of 400 volts/mil

### Features:

- Maintains its insulating sealing and elastic properties in a wide range of temperatures
- Won't crack or separate with sudden shock, vibration, expansion or contraction
- Not tacky to the touch and requires no heat or tools to promote fusion
- An ideal wrap for terminating high voltage cables
- Resists moisture and ozone, making it an excellent environmental insulator



### Ordering Information:

Part No.	Description
38746	1" x 20 ft, 12 rolls/case

## CEP OIL ONLY SORBENTS

These Products Absorb Oil Only While Repelling Water • They Absorb or Skim Petroleum-Based Fluids Off Water in Industrial and Marine Applications.

### Oil Only Pads & Rolls

#### Ordering Information

Part No.	Description	Size	Case Qty.
CEP-P100	Sorbent Pads	3/8" x 17" x 19"	100
CEP-EP100	Econo Sorbent Pads	1/4" x 17" x 19"	100
CEP-P200	Sorbent Pads	3/16" x 17" x 19"	200
CEP-P50	Sorbent Pads	3/8" x 34" x 38"	50
CEP-EP50	Econo Sorbent Pads	1/4" x 34" x 38"	50
CEP-R144	Sorbent Roll	3/8" x 38" x 144'	1
CEP-ER144	Econo Sorbent Roll	1/4" x 38" x 144'	1
CEP-SR144	Sorbent Split Rolls	3/8" x 19" x 144'	2
CEP-ESR144	Econo Sorbent Split Rolls	1/4" x 19" x 144'	2
CEP-R288	Sorbent Roll	3/16" x 38" x 288'	1



### Oil Only Booms, Pillows & Socks

#### Ordering Information

Part No.	Description	Size	Case Qty.
CEP-B810	Sorbent Booms	8" x 10'	4
CEP-B510	Sorbent Booms	5" x 10'	4
CEP-B820	Sorbent Booms	8" x 20'	2
CEP-B520	Sorbent Booms	5" x 20'	2
CEP-PS12	Poly Socks	3" x 46"	12
CEP-PS10	Poly Socks	3" x 10'	4
CEP-PIL10	Sorbent Pillows	3" x 18" x 24"	10
CEP-SAKPIL10	10 Sack Pillows	14" x 25"	10
CEP-BPIL10	Boom Pillows	8" x 18"	10



### Oil Only Accessories

#### Ordering Information

Part No.	Description	Size	Case Qty.
CEP-SW100	Sorbent Sweep	19" x 100'	1
CEP-PART25	Particulate	25 lb. bag	1
CEP-ODTP25	Drum Top Pads	22" dia.	25
CEP-ODP12	Drip Pans	3" x 11" x 13"	12
CEP-ASTAT100	Static Resistant Pads	17" x 19"	100
CEP-ASTAT25	Static Resistant Pads	17" x 19"	25
CEP-ASTAT144	Static Resistant Roll	30" x 150'	1



## Universal Aggressive Pads & Rolls

These pads and rolls will absorb all liquids from water based fluids to aggressive acids. An absolute necessity for any hazmat spill or spill contingency planning. Both are bonded for tensile strength and absorb 25 times their weight in all liquids.

### Ordering Information

Part No.	Description	Size	Case Qty.
CEP-UP100	Universal Pads	3/8" x 17" x 19"	100
CEP-UP200	Universal Pads	3/8" x 11" x 13"	200
CEP-UR150	Universal Roll	3/8" x 38" x 150'	1
CEP-USR150	Universal Split Rolls	3/8" x 19" x 150'	2
CEP-UP50	Universal Pads	3/8" x 34" x 38"	50
CEP-UR24	Universal Pads	3/8" x 24" x 150'	1



## Universal Aggressive Booms, Pillows & Socks

CEP's Universal hazmat line of booms, socks and pillows are ideal for containing and absorbing spills of any liquid. All products are color coded in hazmat yellow and absorb 25 times their weight in fluid. Socks and booms come in a variety of sizes.

### Ordering Information

Part No.	Description	Size	Case Qty.
CEP-UB510	Universal Booms	5" x 10'	4
CEP-UB410	Universal Booms	4" x 10'	4
CEP-UB810	Universal Booms	8" x 10'	4
CEP-HAZSOC12	Hazmat Socks	3" x 46"	12
CEP-HAZSOC10	Hazmat Socks	3" x 10'	4
CEP-HAZPIL10	Hazmat Pillows	3" x 18" x 24"	10



## Universal General Purpose Socks & Pillows

These grey color sorbents are ideal for solvents, lubricants, and cutting oils. The GS Sock Series range from 4' to 10' in length. Perfect moldable application of continuous maintenance leaks. The recycled fiber filler's are BTU rich for multiple disposal options.

### Ordering Information

Part No.	Description	Size	Case Qty.
CEP-GS4	General Socks	3" x 4'	40
CEP-GS6	General Socks	3" x 6'	25
CEP-GS8	General Socks	3" x 8'	20
CEP-GS10	General Socks	3" x 10'	15
CEP-GS20	General Socks	3" x 20'	20
CEP-GS55	General Socks	3" x 20'	55
CEP-GPIL16	General Pillows	2" x 11" x 13"	16
CEP-COBSOC40	Corn Cob Socks	3" x 46"	40
CEP-COBSOC10	Corn Cob Socks	3" x 10'	14
CEP-CLAYSOC12	Clay Socks	3" x 46"	12



## Oil Select & Haz Mat - Great for Marine & Industrial

### Ordering Information

#### Oil Only Select

Part No.	Size	Spill Kit Contents
CEP-SK5	5 Gal.	10-Pads, 2-socks, goggles, gloves, disp. bag
CEP-SK20	20 Gal.	50-Pads, 4-socks, 2-pillows, goggles, gloves, disp. bag
CEP-SK30	30 Gal.	50-Pads, 12-socks, 4-pillows, goggles, gloves, disp. bag
CEP-SK55	55 Gal.	100-Pads, 2-booms, 5-pillows, goggles, gloves, disp. bag
CEP-SK95	95 Gal.	100-Pads, 4-booms, 10-pillows, goggles, gloves, disp. bag



#### Haz Mat Aggressive

Part No.	Size	Spill Kit Contents
CEP-HAZSK5	5 Gal.	10-Pads, 2-socks, goggles, gloves, disp. bag
CEP-HAZSK20	20 Gal.	50-Pads, 4-socks, 2-pillows, goggles, gloves, disp. bag
CEP-HAZSK30	30 Gal.	50-Pads, 12-socks, 4-pillows, goggles, gloves, disp. bag
CEP-HAZSK55	55 Gal.	100-Pads, 2-booms, 5-pillows, goggles, gloves, disp. bag
CEP-HAZSK95	95 Gal.	100-Pads, 4-booms, 10-pillows, goggles, gloves, disp. bag

### General Purpose - Universal

Ideal for solvents, anti-freeze and non-aggressive liquids. OSHA compliant.

#### Ordering Information

Part No.	Size	Spill Kit Contents
CEP-GPSK5	5 Gal.	10-Pads, 2-socks, goggles, gloves, disp. bag
CEP-GPSK20	20 Gal.	25-Pads, 4-socks, 2-pillows, goggles, gloves, disp. bag
CEP-GPSK30	30 Gal.	50-Pads, 6-socks, 4-pillows, goggles, gloves, disp. bag
CEP-GPSK55	55 Gal.	50-Pads, 12-socks, 5-pillows, goggles, gloves, disp. bag
CEP-GPSK95	95 Gal.	100-Pads, 4-booms, 10-pillows, goggles, gloves, disp. bag



### Wall Mount & Transport

These smaller sizes of spill kits are perfect for permanent installations or for mobile transport vehicles. Each kit contains pads, socks, and safety apparel for complete regulatory compliance.

Part No.	Size	Spill Kit Contents
CEPWMSK225		Wall Mount Spill Kit - Oil Only
CEP-HAZWMSK225		Wall Mount Spill Kit - Haz Mat
CEP-VACPAK25		Vacuum Sealed Spill Kit - Oil Only, Transparent Packaging
CEP-TRSK5	5 Gal.	Transport Spill Kit - Oil Only
CEP-UTRSK5	5 Gal.	Transport Spill Kit - Universal



# STARDUST SUPER ABSORBENT™

STARDUST has extraordinary versatility in absorbing any kind of liquid or semi-liquid on contact. It is safe, through, and easy way to pick up spills of liquids and semi-liquids on contact - and turn them in to dust!

STARDUST has virtually unlimited uses. It picks up liquids of any viscosity, off any hard surface, leaving the surface clean and dry. For that reason it is described as “non-select”, meaning it does not have a limited range of effectiveness, It is not injurious to soil, concrete, asphalt, tile , plants, animals, or humans. It contains no reactive chemicals, is not toxic, flammable, or biodegradable, and is environmentally safe and friendly.

## Use STARDUST for These Spills... and Many Others

### Petroleum Products

- Gasoline/diesel/jet fuels
- Hydraulic/brake/transmission fluids
- Motor oil
- Axle grease
- Refining and production wastes or expended by-products

### All Chemicals

- Herbicides, Pesticides, Insecticides
- Solvents—acetone, toluene, etc.
- Acids\*—sulfuric, hydrochloric, etc.
- Bases and Alkalines

\* *Do not use with hydrofluoric acid*

### Paint (water, oil, or epoxy based)

### Glycols (including antifreeze)

### Polymers


### All Bodily Fluids

- Human and animal wastes
- Blood

### All Liquid or Semi-liquid

### Food Substances

- USDA Approved
- Vegetable oils, butter
- Honey, syrup, jam and jelly
- Beverages, vinegar, ketchup



GENERAL INDUSTRIAL

### Ordering Information

Part No.	Description
D225	STARDUST, individual 25 lb. bag
225S-BH	Broom head for use with Stardust

### Product and Disposal Cost Comparison to Absorb 1 Quart of Motor Oil

Product	Minutes Needed to Absorb Spill	Final Condition of Surface	Pounds of Absorbent Required	Pounds to be Disposed After Absorption
<b>STARDUST Super Absorbent</b>	<b>1:45</b>	<b>Clean &amp; Dry</b>	<b>0.75</b>	<b>2.50</b>
Oil-Dri (Kitty Litter)	4:15	Slippery Film	16.00	17.75
Diatomaceous Warth (D.E.)	2:25	Clean & Dry	5.50	7.25
Magic Sorb	2:45	Slight Film	4.50	6.25
Imitators of STARDUST	2:00	Clean & Dry	0.80	2.55

**CALL**  
800.833.0247  
281.479.9700

**FAX**  
800.282.4365  
281.479.6321

**CALL US TODAY**  
—419—

[www.safetyfire.com](http://www.safetyfire.com)

## Spill Control Pallets

Eagle spill containment pallets are the most flexible and comprehensive spill protection and containment on the market today. Polyethylene construction for excellent chemical resistance and feature Eagle's patented removable poly grating for easier cleaning.



### Ordering Information

Part No.	Description	Capacity (gals.)	Dimensions (in.)	Weight (lbs.)	Load Capacity (lbs.)
1612	Single drum unit	65	31 x 33	30	-
1620	2 drum pallet unit	66	51 x 26-1/4 x 15	48	2,000
1640	4 drum pallet unit	90	51-1/2 x 51-1/2 x 18-1/2	88	4,000
1646	4 drum nestable pallet	66	58-1/2 x 58-1/2 x 7-3/4	65	8,000
1689	Poly ramp for 1646	-	32 x 45-1/2 x 8	32	1,500

## Spill Containment Drums

These tough Eagle products handle all of your hazardous material needs. Choices include Lab Packs, Overpack Drums and Salvage Drums. Eagle 20 and 30 gallon drums are available with plastic lids and your choice of metal or plastic lever locking rings. Eagle 20, 30, 65 and 95 gallon drums available with metal bolt bands or screw-on lids. All models are yellow in color and are constructed of chemical resistant high density polyethylene. They are lightweight, nestable, and include UV inhibitors.



Part No.	Description
1600SL	30 Gal. Lab pack w/ Screw Lid
1601	30 Gal. Lab Pack w/Plastic Lever-Lock Ring
1601M	30 Gal. Lab Pack w/Metal Lever-Lock Ring
1602	30 Gal. Salvage Drum w/Metal Lever-Locking Ring
1650	20 Gal. Lab Pack w/Screw Top Lid
1652	20 Gal. Lab Pack w/Plastic Lever-Lock Band
1654	20 Gal. Salvage Drum w/Metal Lever-Locking Band
1661	65 Gal. Overpack Drum w/Screw Top Lid
1665	65 Gal. Salvage Drum/Overpack
1690	95 Gal. Overpack Drum w/Screw Top Lid
1695	95 Gal. Salvage Drum/Overpack

### Compliance:

Lab Packs: DOT 49 CFR 173.12  
 Overpacks: DOT 49 CFR 173.25  
 Salvage Drums: DOT 49 CFR 173.3

### Note:

65 Gal. Overpack Drums will hold up to one 35 gal. drum.  
 95 Gal. Overpack Drums will hold up to one 55 gal. drum.


# ULTRA TECH SECONDARY CONTAINMENT

Quickly prevent spills and leaks from entering the sewage system or the environment with the Ultra DrainPlug® or the Ultra DrainSeal®. Both products are a safety orange color and are constructed of a non-absorbing material and can be cleaned with soap and water and used again.

## DrainPlug®

### Ordering Information

Part No.	Size
2113	2" diameter
2114	3" diameter
2115	4" diameter



## DrainSeal®

### Ordering Information

Part No.	Size
DC18	18"x18"x1/2"
DC24	24"x24"x1/2"
DC36	36"x36"x1/2"
DC42	42"x42"x1/2"
DC48	48"x48"x1/2"



Mount a Drum Tourniquet® on a fork lift, near fire extinguishers or carry it as part of a spill kit. When a leak occurs, the device is centered over the rupture and pressure is applied to the device onto the drum surface. Magnetic model includes two (2) magnets in a spark resistant assembly and can be used on steel drums and other ferrous applications. The Universal model includes two (2) magnets in a spark resistant assembly, a 10 ft. long ratchet strap and can be used on both steel and polyethylene drums. Both models are 22-1/2" L x 6-1/2" W x 2-7/8" H.

## Drum Tourniquet®

### Ordering Information

Part No.	Description
2010	Magnetic model
2013	Universal model

