

MSA V-GARD® PROTECTIVE CAPS AND HATS

V-Gard® Protective Caps and Hats from MSA consist of a shell and suspension system working together as a protection system. The rigid shell is lightweight and balanced for all-day wearing comfort. The shell is one-piece injection molded of high-density polyethylene and has a high dielectric strength.

V-Gard® headwear features advanced styling in either cap or hat styles. Standard size slotted cap models are available in 19 molded-in, fade-resistant colors.

V-Gard® Caps and Hats meet or exceed the applicable requirements for a Type 1 helmet (top impact) as outlined in ANSI Z89.1 2003, Class E.

Note: White, blue and yellow slotted caps also available in small 6" to 7-1/8" and large 7" to 8-1/2" sizes. Standard slotted caps and non-slotted full brim hats are 6-1/2" to 8" in size.



Complete Assemblies				
Color	Standard V-Gard® Slotted Cap		Non-Slotted V-Gard® Hat	
	w/Staz-On Suspension	w/Fas-Trac Suspension	w/Staz-On Suspension	w/Fas-Trac Suspension
White	463942	475358	454733	475369
Blue	463943	475359	454732	475368
Yellow	463944	475360	454730	475366
Orange	463945	475361	454734	—
Red	463947	475363	454736	475371
Green	463946	475362	454735	475370
Gray (navy)	463948	475364	454731	475367
Hi-Viz Orange	488148	488146	489360	10021292
Hi-Viz Lime Green	815558	815565	815562	815570
Hi-Viz Red	—	10052912	—	—
Hi-Viz Green	—	10052904	—	—
Gold	464852	475365	—	—
Robin's Egg Blue	463111	495853	—	—
Brown	464658	495854	—	—
Silver	484340	495855	—	—
Tan	461180	—	—	—
Black	475235	492559	—	—
Light Bluff	478237	495856	—	—
Purple	488398	495858	—	—

Call About MSA's Custom-Imprinting Logo Express Service

Replacement Suspensions	
Part No.	Description
454230	Standard Size Staz-On Suspension for V-Gard Cap or Hat (6-1/2 in - 8 in)
473332	Standard Size Fas-Trac Suspension for V-Gard Cap or Hat (6-1/2 in - 8 in)

HEAD & HEARING PROTECTION

Chin Strap

Ordering Information

Part No.	Description
88128	Elastic, with plastic hooks and buckle (attaches to the shell)



Fas-Trac® Ratchet Suspension System

Staz-on™ Suspension System

Skullgard® Caps and Hats

Skullgard® Caps and Hats feature heavy-duty construction for use in heavy industries where elevated temperatures are common. Skullgard® Caps and Hats meet or exceed the applicable requirements for a Type I helmet (top impact) as outlined in ANSI Z89.1 2003, Class G (electrical – low voltage).

Ordering Information

Part No.	Description
454617	Cap style, color natural tan, with staz-on suspension
475395	Cap style, color natural tan, with fas-trac® ratchet suspension
454664	Full brim hat style, color natural tan, with staz-on suspension
475407	Full brim hat style, color natural tan, with fas-trac® ratchet suspension



Suspensions for Skullgard® Caps and Hats

454231	Staz-on suspension, standard size (6-1/2 to 8)
473334	Fas-trac® ratchet suspension, standard size (6-1/2 to 8)

MSA HEAD PROTECTION ACCESSORIES

Defender™ Faceshield Frame and Visors

The Defender™ Faceshield Frames are compatible with Slotted Caps. With an MSA visor, it is ideal for use in chemical plants and other industrial applications that demand face protection against small flying objects, abrasive particles and chemical splashes.

Features:

- Front-drip-edge splash protection
- Unlimited number of lift stop positions
- Long-lasting O-ring pivot-joint design
- Snap-in ear muff option
- Easy in - easy out visor replacement
- Cap lockdown clip (V-Gard® and Topgard® cap models only).

All frames come without visors.

Ordering Information

Part No.	Description
10021614	Defender™ faceshield frame for medium size V-Gard® caps
10021615	Defender™ faceshield frame for Topgard® caps



Visors

Ordering Information

Part No.	Description
Actetate - (Flat)	
488133	Clear, 8" x 16" x .040"
488134	Clear, 8" x 16" x .060"
488135	Medium green, 8" x 16" x .040"
188136	Medium green, 8" x 16" x .060"
Polycarbonate - (Formed)	
488131	Clear, 8" x 16" x .040"
488132	Clear, 8" x 16" x .060"
488138	Clear, 8" x 19" x .060"

The foundation of Bullard's head protection product line is a selection of classically-styled models.

All Classic hard caps are made from high-density polyethylene and come equipped with Bullard's 6-point self-sizing or Sure-Lock® ratchet suspension system. Both suspension systems allow for a truly customized fit with 1" wide nylon straps, vertical adjustment keys and an absorbent Sportek™ brow pad.



3000 Cap

The versatile Model 3000 hard cap, Bullard's most popular Classic model, is designed for almost any industrial application. Special accessory slots accept most popular attachments, including welding helmets, earmuffs, faceshields, and communication devices. Choice of ES-ULTRA OR ESRTSL ratchet suspension.



302RT Cap

The 302RT model is designed with a rain trough on the brim to channel away rain, snow and condensation. This cap was engineered for operations where precipitation is a problem, such as in logging and construction. The 302RT model is equipped with accessory slots for commonly used accessories. Choice of ES-ULTRA or ESRTSL ratchet suspension.

Ordering Information

Part No.	Description
3000	Cap with accessory slots and ES-ULTRA suspension
3000R	Cap with accessory slots and ESRTSL ratchet suspension
302RT	Cap with accessory slots, rain trough and ES-ULTRA suspension
302RTR	Cap with accessory slots, rain trough and ESRTSL suspension
ES-ULTRA	6-point suspension with sizing posts, Sportek™ brow pad, and built-in goggle strap retainer
ESRTSL	6-point suspension with Sure-Lock® ratchet sizing knob and Sportek™ brow pad
TT1	Sportek™ brow pad for ES-ULTRA suspension
TT2	Sportek™ brow pad for ESRTSL ratchet suspension

**All Classic hats and caps
Conform to ANSI Z89.1-1997
Class IG and IE requirements**

Bullard hard caps come in a variety of colors and can be customized with multicolor logos.

Full Brim Hat

With a full, wide brim, the Model 303 hat offers workers added protection from sun, glare, splash and rain. Typical users including highway construction, maintenance and utility workers. Choice of ES-ULTRA or ESRTSL suspension. Conforms to ANSI Z89.1-1997 Class IG and IE requirements.



Ordering Information

Part No. Description

303	Hat with full brim and ES-ULTRA suspension
303R	Hat with full brim and ESRTSL suspension
ES-ULTRA	6-point suspension with sizing posts, ES-ULTRA brow pad, and built-in goggle strap retainer
ESRTSL	6-point suspension with Sure-Lock® ratchet sizing knob and Sportek™ brow pad
TT1	Sportek™ brow pad for ES-ULTRA suspension
TT2	Sportek™ brow pad of ESRTSL suspension

Vector™ Helmet

Provides impact protection for the top, front, back and sides of the head. Vector™ uses a full inner shock liner that is carefully engineered to provide advanced protection. It is lightweight, comfortable and affordably priced. Vector™ meets ANSI Z89.1-1997, Type 2, Class E, G, and C requirements, as well as CSA Z94.1-1992



Ordering Information

Part No. Description

Vector-C	Helmet with standard suspension
Vector-CRT	Helmet with ratchet suspension

Colors: Vector™ is available in White, Yellow, Red, Blue, Green, and Orange

Light-Duty Bump Cap

Bullard's lightweight, ventilated bump cap provides protection against minor bumps and abrasions only. The bump cap is designed for applications in industries such as meat packing, food processing, utility meter reading, pest control and auto repair. They are not designed for work situations that require hard hat protection.

The MK2V is made of high-density polyethylene and equipped with a replaceable 4-point suspension.



Ordering Information

Part No. Description

MK2V	Bump cap with MMKHB suspension. Does not meet ANSI Z89.1-1997 Standard
------	--

BULLARD® ECONOMICAL HEAD PROTECTION

When economy and versatility are as important as quality and protection, choose the Model 4100 or 5100 hard caps with a 4-point suspension. These caps offer comfort, variable sizing and a customized fit at an economical price. Made from high-density polyethylene.



5100 Cap - Flat Front

One of the lightest caps available, the 5100 features a rain trough for extra protection against snow, rain, dust and dirt. Cap comes equipped with accessory slots for a variety of attachments including welding helmets, earmuffs and faceshield. Choice of TG600 or TGRT600 ratchet suspension.

Both the 5100 and 4100 caps conform to ANSI Z89.1-1997 Class IG and IE requirements.



4100 Cap - Rounded Front

Combining a traditional look with a narrow profile, the Model 4100 provides maximum versatility at an economical price. The shell allows for increased air circulation, creating a more comfortable fit. Choice of TG600 or TGRT600 ratchet suspension.

Ordering Information

Part No.	Description
4100	Cap with accessory slots and TG600 suspension
4100R	Cap with accessory slots and TGRT600 ratchet suspension
5100	Cap with accessory slots, rain trough and TG600 suspension
5100R	Cap with accessory slots, rain trough and TGRT600 ratchet suspension

BULLARD® ACCESSORIES

Chin Straps

Chin straps help keep the hard hat securely on the worker's head, especially on windy job sites.

Ordering Information

Part No.	Description
ES42	2-point chin strap for all Bullard hard hats and caps except Model 502 and ADVENT®

Sun Protection

Ordering Information

Part No.	Description
SS4	Sun shield with "see through" front for overhead visibility. Extends hat brim 360 degrees to protect face, neck, and ears from sun exposure. Fits hat models 303 and 911H (25/pkg).
SS5	Same as SS4 but for cap models 3000, 302RT, 911C, 5100 and 4100 (25/pkg).
CSS	100% cotton sunshade for all helmets, hard hats and caps. Protects neck from exposure to sun and UV light. Attaches with 3 velcro strips (25/pkg).

Sportek™ Brow Pad

Is a breakthrough in high performance fabrics. Its soft, terry-like fabric is comfortable and cool, and cushions the wearer's forehead. It does not become saturated with moisture. Instead, this advanced material pulls perspiration away from the wearer's skin creating a dry, more comfortable feel.

Ordering Information

Part No.	Description
TT1	Replacement Brow Pad for ES-ULTRA suspensions
TT2	Replacement Brow Pad for ESRT-SL suspension
TT3	Replacement Brow Pad for TG600 and TGRT600 suspensions. Also compatible with Bullard's CC20 respirators

Suspensions for 5100 & 4100 Caps

Ordering Information

Part No.	Description
TG600	4-point suspension with replaceable vinyl brow pad (TT3VI)
TGRT600	4-point Sure-Lock® suspension with replaceable vinyl brow pad (TT3VI)

FIBRE-METAL SUPER EIGHT® HEAD PROTECTION

- Eight-point suspension for extra impact dissipation and better weight distribution
- Extra-smooth dome to deflect impacting objects better
- Choice of fully padded headband for extra comfort, or ratchet headband for extra secure fit
- Extra personal comfort with a headband that can be raised, lowered, tilted and moved forward or back within its suspension
- Fully assembled at factory for your protection

Fiberglass Roughneck® Protective Caps

Part No.	Description
P-2W	w/S-2F Headband
P-2RW	w/3-R Ratchet Headband
P-2QW	w/S-2F Headband & Quick-Lok® Block*
P-2QRW	w/3-R Ratchet Headband & Quick-Lok® Block
P-2 Series Colors:	White, Yellow, Red, Orange, Green, Blue, Brown, Gray



P-2W

Thermoplastic Superlectric® Protective Hats & Caps

Part No. Description

Hats (Full Brim)

E-1W	w/S-2F Headband
E-1RW	w/3-R Ratchet Headband

Caps

E-2W	w/S-2F Headband
E-2RW	w/3-R Ratchet Headband
E-2QW	w/S-2F Ratchet Headband & Quick-Lok® Block*
E-2QRW	2/3-R Ratchet Headband & Quick-Lok® Block
E-2 Series Molded-In Colors:	White, Yellow, Orange, Red, Green, Blue, Gray, Tan
E-1 Series Colors:	White, Yellow, Green, Red, Blue



E-1RW



E-2W

Replacement Parts Hats & Caps

Part No.	Description
W-1F	Suspension, Web w/Leatherette S-2F Headband
3-R	Headband, Ratchet
3-RW	Suspension, Web w/Ratchet Headband
S-2F	Leatherette Headband (For E-1, E-2, P-2 Series)
3-S	Reversible Ratchet Headband

*Quick-Lok® mounting blocks are screwed to the protective cap for use with welding helmets and faceshields with Quick-Lok® cups.

Goggle Retainer

Dielectric retainer that keeps goggles on your safety hat or cap. It holds goggles securely when they're being worn for eye protection. When goggles not in use, the retainer holds goggles readily in place. No tools are required for installation.

Ordering Information

Part No.	Description
9652	For Caps
9662	For Hats (Full Brim)



Terry Cloth Hard Hat Liners

Improve worker comfort with this soft, heavyweight terry cloth liner. Features a rugged construction with rust-proof fasteners. Easily removed for regular washing.

Ordering Information

Part No.	Description
SHMS	Terry Cloth Cap/Hat Liner



Goggle Clip

Adhesive mount nylon clip for use on safety hats and caps to assist in attaching goggle strap to cap or hat. Color white.

Ordering Information

Part No.	Description
TAC-PGC	Goggle Clip, 100/Pkg



No. AA-102 Clip-On Drybrow® Sweatband

Full size, 8-5/8" x 1-3/4". Designed for the worker who wears head or face protection all day. Harness fits onto a hard hat, welding helmet, or sandblast hood suspension. Packaged 25 per bag.



No. 22013 Drybrow® Sweatband

Disposable cellulose sweatband with rubber band to hold sweatband in place. Size 8-5/8" x 1-3/4". Packaged 100 per bag.

Allsafe/SMC Liners

The cap liners are made from the most technologically advanced fabrics — that combine the best of performance features with a number of comfort options. The generous patterns and unique designs will give the user the required head and face coverage. Styles have been designed for use under all types of safety helmets and caps, while hook-and-loop fasteners under the chin make for easy yet secure fits. All models are flame resistant unless otherwise noted.



22298

No. 22298

- Blue quilted nylon shell with black fastener strap
- Red heavyweight fleece lining
- Foam liner
- Inherently flame resistant

Windgard™

No. 22207 Red

No. 22201 Navy

- Snug-fitting cap style keeps wind out of cap
- Knitted from spun polyester
- Choice of colors



22383

No. 22383

- Thinsulate® inner panels
- Full head and neck coverage with an extra-wide wrapped collar
- Shoulder-length liner can be tucked into jacket
- 100% cotton, 8 oz. blue twill outer shell with black fastener
- Red heavyweight fleece lining



22207

MSA Zero Liners

No. 86092

- One-piece, two ply
- Velcro adjustable chinstrap
- No metal parts
- Color Gray

86092



No. 88587

- Extended neck
- One-piece, two ply
- Extended neck tucks into coat or jacket collar
- Nonmetallic velcro adjustable chinstrap

88587



No. 455930

- Zipper type with knit lugs to fit over noise attenuating ear muffs
- Two button front
- Ribbed knit neckpiece attaches to crownpiece by metal zipper
- Caution: Liners with metal parts will have an effect on electric classification

455930



Classic® E-A-R® Plugs

- One Size
- Easy to use
- Comfortable
- Non-irritating
- Washable
- High User Acceptance

E-A-R® Plugs, the original foam earplug, are the leading selling and most widely accepted form of hearing protection in the world. Their exclusive energy-absorbing foam not only helps make the Plugs comfortable, but extremely effective as well. The unique foam gradually expands and conforms to the size and shape of virtually any ear canal. The result is a true custom-fit seal against harmful noise.



Ordering Information

Part No. Description

- | | |
|----------|--|
| 310-1001 | Classic® earplug, packaged 1 pair per pillow pack, 200 pr/box, (NRR 29dB) |
| 310-1001 | Classic® earplug, corded, packaged 1 pair per poly bag, 200 pr/box, (NRR 29dB) |
| 312-1201 | Classic® earplug, packaged 1 pair per poly bag, 200 pr/box, (NRR 29dB) |



E-A-Rsoft® Yellow Neon Blast® Earplugs

- Non-irritating
- Superior Comfort


E-A-Rsoft® foam earplugs have the highest NRR available, neon yellow color with red random stripes, and the incredible comfort you expect from E-A-R®. Regular size comfortably fits most ear canals



Ordering Information

Part No. Description

- | | |
|----------|--|
| 312-1252 | E-A-Rsoft® yellow neon blast earplug, packaged 1 pair per poly bag, 200 pr/box, (NRR 33dB) |
| 311-1252 | E-A-Rsoft® yellow neon blast earplug, corded, packaged 1 pair per poly bag, 200 pr/box, (NRR 33dB) |



One-Touch® Earplug Dispenser

With one gentle turn users get the most popular hearing protection in the world. The patented "No Waste Funnel" system allows users to reuse the base and dispensing unit

Ordering Information

Part No. Description

- | | |
|----------|---|
| 391-1000 | Dispenser base |
| 391-1001 | Dispenser refill, Classic earplugs, 500 pair per dispenser |
| 391-1010 | Dispenser refill, E-A-Rsoft neon blast, 50 pair per dispenser |



E-A-R® Ultrafit® Earplugs

- One Size
- Triple-flange Protection
- Comfortable
- Washable

NRR 25dB

E-A-R UltraFit earplugs are the premium choice, combining optimum protection with superior comfort. The product's impressive performance is due in part to its unique triple-flange design. The "swept back" flanges are molded of an advanced polymer material and are ultra-thin and flexible. Dispensing Ultra Fit earplugs is simplified since one-size fits most ear canal sizes.



Ordering Information

Part No.	Description
340-4001	UltraFit® reusable earplug without cord, with carrying case, 50 pr/box
340-4002	UltraFit® reusable earplug with cord, with carrying case, 50 pr/box
340-4004	UltraFit® reusable earplug with cord, less case, 100 pr/box



E-A-R® EXPRESS™ Pod Plugs

NRR 25dB Reusable or Disposable

EXPRESS™ Pod Plugs make good economic sense. They are designed to be reusable, but priced to be disposable – your choice. EXPRESS™ Pod Plugs represent the next generation in hearing protection by combining the benefits of slow recovery foam with the push-in convenience of premolded plugs.

E-A-R® EXPRESS™ Pod Plugs

Packaged 1 pair per pillow pack, 100 pillow packs per dispenser, 4 dispenser boxes per case (400 pairs per case)

Ordering Information

Part No.	Description
321-2200	Uncorded, with assorted color grips
311-1115	Corded, with assorted color grips



CABOFLEX® Hearing Protector

- Easy On and Off
- Comfortable, Lightweight and Washable

NRR 20dB

The CABOFLEX is a semi-aural device that consists of soft, flexible, conical-shaped pods that swivel to align with and enter the ear canals. Each silicone pod contains an E-A-R Foam Earplug. The lightweight band can be worn under-the-chin without interfering with hardhats or glasses. Compliance checks are easy.

Ordering Information

Part No.	Description
320-2001	CaboFlex® banded hearing protector, 10/box

MAX® Preshaped Foam Earplugs

MAX® offers user comfort not found in other preshaped foam earplugs, as well as the highest NRR rating available.

Maximum Attenuation:

MAX® foam earplugs are designed with a smooth outer skin graduating to larger cellular cavities in the center of the earplug. The graduated sizing of the cellular cavities effectively fractures the sound waves and reduces the sound intensity. This unique foaming material combined with its unique shape allows MAX® to achieve a NRR 33dB rating.



Ordering Information

Part No.	Description	Std. Case Qty.	NRR
MAX-1	Without Cord Packed in Individual Poly Bags	2,000 Pair (200 Pair per Box)	33dB
MAX-30	With Poly Cord 1 Packed in Individual Poly Bags	1,000 Pair (100 Pair per Box)	33dB

MAX-LITE® Low Pressure Foam Earplugs

Ideal for long term users and those with smaller ear canals.

MAX-LITE® offers longer term user comfort not found in other preshaped foam earplugs. The non-irritating, non-allergenic self-adjusting foam recovers to fit any ear canal. MAX-LITE® is ideal for that portion of the population with smaller ear canals.

Maximum Attenuation:

MAX-LITE® low pressure foam earplugs are designed with a smooth outer skin graduating to larger cellular cavities in the center of the earplug. The graduated sizing of the cellular cavities effectively fractures the sound waves and reduces the sound intensity. This unique foaming material combined with its unique shape allows MAX-LITE® to achieve a very respectable NRR 30dB rating.



Ordering Information

Part No.	Description	Std. Case Qty.	NRR
LPF-1	Without Cord Packed in Individual Poly Bags	2,000 Pair (200 Pair per Box)	30dB
LPF-30	With Poly Cord Packed in Individual Poly Bags	1,000 Pair (100 Pair per Box)	30dB

Leight Earplug Dispenser

Higher Usability:

The Leight Earplug Dispenser is a highly visible, permanent hearing protection center that is easy for workers to use. Built with heavy-duty anodized aluminum, and designed for wall installation, the Leight Earplug Dispenser dispenses with a simple turn of the handle.



Ordering Information

Part No.	Description	Std. Case Qty.
LS-500™	Leight Earplug Dispenser For Use ONLY with Howard Leight Earplug Dispenser Refills	1 Each

Refills

Part No.	Description	Std. Case Qty.	NRR
MAX-1-D	MAX Preshaped Foam Earplugs, Bulk Packed for use in Leight Dispenser ONLY	(500 Pair per Box)	33dB

Quiet® Reusable Foam Earplugs

QUIET® is the most unique foam earplug available. No rolling required, no waiting for expansion. Insert QUIET® in your ear using the built-in flexible foam stem, and you have immediate NRR 26dB protection comfortable enough to be worn all day.



Superior Comfort:

The patented QUIET® reusable foam earplug offers a smooth non-irritating outer skin that is comfortable enough for all day use. The flexible foam stem enables fast, easy insertion. Once the plug is inserted it will naturally expand for a comfortable custom fit.

Ordering Information

Part No.	Description	Std. Case Qty.	NRR
QD-1	Without Cord Packed in Clear Flip-Top Boxes	1,000 Pair (100 Pair per Box)	26dB
QD-30	With Poly Cord Packed in Clear Flip-Top Boxes	1,000 Pair (100 Pair per Box)	26dB

Quiet Band Hearing Protector — Semi-Aural

A lightweight, very comfortable alternative to earplugs or earmuffs. Compact design allows for shirt pocket storage when not in use.

Superior Comfort:


QB's soft foam ear pads are designed for wearer comfort. The lightweight, yet durable band helps insure proper fit without excessive pressure on the ear canal.

High Attenuation:

The QB2 offers the highest NRR rating available for a hearing band. When worn under the chin, the NRR 25 rating exceeds many, more expensive earmuffs.

Superior Hygiene:

The soft foam ear pads can be cleaned with soap and water for months of hygienic use. The low cost pads pop for easy replacement.



Ordering Information

Part No.	Description	Std. Case Qty.	NRR
QB-2HYG™	Banded Hearing Protector (10 Each per Box)	100 Each	25dB
QB-200HYG	Replacement Pads for QB2 (50 Pair per Box)	200 Pair	25dB

Com-Fit® Ear Plugs

Features

- Noise Reduction Rating: 26dB
- Triple-flange design provides multi-surface sealing over a wide range of ear canal sizes
- Color coded in three sizes
- Fits broad range of users
- High visibility colors for easier safety checks — easier to remember size

Ordering Information

Without Connecting Cord

Part No.	Description
28-14-01	Green Small, 1 pr/box, 20 bxs/ctn
28-14-03	Orange Medium, 1 pr/box, 20 bxs/ctn
28-14-05	Blue Large, 1 pr/box, 20 bxs/ctn

With Connecting Cord

28-14-11	Green Small, 1 pr/box, 20 bxs/ctn
28-14-13	Orange Medium, 1 pr/box, 20 bxs/ctn
28-14-15	Blue Large, 1 pr/box, 20 bxs/ctn



28-14-03



28-14-13

Silent Band-It®

Features

- Noise Reduction Rating: 25dB (All Positions)
- Filled with silicone putty — expands to fit ear canal
- One size fits all
- Adjustable stainless steel band provides wearing flexibility (over-the-head, behind-the-head, under-the-chin)

Ordering Information

Part No.	Description
28-11-33	Silent Band-It®, 1 set/bg, 12 bgs/ctn
28-11-35	Hygiene Pack for Silent Band-It® Pkg. contains 2 replacement earplugs, 2 plug holders, 2 screws, and instructions



28-11-33

AEARO E-A-R®

Model 1000

The model 1000 is an economical and popular choice muff. Although it's small in size, it provides attenuation that is sufficient for most industrial noise environments. This universal-fit muff can be worn over-the-head, behind-the-head, and under-the-chin

Ordering Information:

Part No.	Description
----------	-------------

330-3001	Model 1000 hearing protector, 20 dB when worn behind the head
----------	---



Model 3000

The model 3000 is the highest attenuating earmuff of the line, and should be used when maximum protection is required. It can be worn over-the-head, under-the-chin or behind the head. The crown strap is included with the muff and should be worn when the muff is used behind-the-head or under-the-chin

Ordering Information:

Part No.	Description
----------	-------------

330-3002	Model 3000 hearing protector, 25 dB when worn behind the head
----------	---



Model 2000H

The model 2000H, a helmet-attached version of the model 1000, mounts to most cap style slotted helmets without an adapter. This capmounted earmuff features an "at rest" position so the muff can be removed from the ears without the need for storing on the top of the hard hat

Ordering Information:

Part No.	Description
----------	-------------

30-3031	Model 2000H cap mounted hearing protector, 21 dB
---------	--



MSA

Sound Blocker™

Designed for high noise areas such as industrial plants and construction sites. Its distinct styling, soft sealing cushions and snug, pivoting headband make the Sound Blocker™ 26 Muff one of our most popular models. Its high attenuation is ideal for low or high-frequency environments. Incredible value in a lightweight package. Weighs just 8.5 ounces

Ordering Information:

Part No.	Description
----------	-------------

10003346	Sound Blocker™ 26 cap mounting hearing protector for slotted caps, 26 dB
----------	--

10003345	Sound Blocker™ 26 hearing protector, 26 dB (not shown)
----------	--



H6 Low-Profile Series

Features:

- Lowest profile hearing protector
- Wide, soft padded headband distributes weight
- Soft, liquid foam-filled ear cushions provided added comfort
- H6F/N model is designed for use with welding helmets, sandblasting hoods, hard hats and fire helmets

Ordering Information

Part No. Description

H6A/V	Over-the-head style, 21dB
H6B/V	Behind-the-head style, 21dB
H6P3E/V	Hard hat attachment style, 21dB



H6A/V

H7 Deluxe Performance Series

Features:

- Provides excellent attenuation at low and high frequencies
- Soft, liquid foam-filled ear cushions provided added comfort
- Wide, soft padded headband distributes weight
- Developed and engineered for use with or without hard hat

Ordering Information

Part No. Description

H7A	Over-the-head style, 27dB
H7B	Behind-the-head style, 26dB
H7P3E	Hard hat attachment style, 24dB



H7A



H7P3E

H9 Select Performance Series

Features:

- Standard of the industry
- Lightweight
- Broad foam cushions give low comfortable surface pressure
- Easily replaceable hygiene kit

Ordering Information

Part No. Description

H9A	Over-the-head style, 25dB
H9B	Behind-the-head style, 25dB
H9P3E	Hard hat attachment style, 23dB



H9A



H10A

H10 Extreme Performance Series

Features:

- One of the highest noise reducing rating on the market for any ear muff that has been tested by an accredited facility (NVLAP)
- Unique, patented dual cup design minimizes resonance to achieve maximum sound quality and attenuation without resorting to muffcups
- Soft foam filled ear cushions provide added comfort

Ordering Information

Part No. Description

H10A	Over-the-head style, 30dB
H10B	Behind-the-head style, 29dB
H10P3E	Hard hat attachment style, 27dB

CavCom® using “Talk-Thru-Your-Ears” technology brings effective two-way communication and consistent hearing protection in a uniquely designed, lightweight ear set and control box that works with your two-way radio. Transducers, embedded in custom hearing protectors, transmit and receive voice commands.

Features:

- Clearer communications
- Affordable
- Simple and safe
- Provides hearing protection
- Comfortable to wear
- Compatible with many radios

Ordering Information

Part No. Description

Control Units

PTT2000-I Control unit with batteries (Intrinsic Safe: Approved for use in Hazardous Locations, Class 1, Groups C & D)

Universal Ear Sets

FFCUEY- Ear set, including y-cord, lapel clip and cleaning accessories (specify size: - 100 size small (red), -200 size medium (orange), -300 size large (blue), -400 size extra large)

Custom Ear Sets

ESCY-AM Ear set, including y-cord, lapel clip and cleaning accessories (custom made to fit your ear size)

Radio Adapters

- A100CC Adapter for Motorola radios: HT1000, MT2000, MTS2000, MTX9000, MTX838, JT100, XTS3000.
- A102CC Adapter for Motorola radios: HT600, HT 2000, MT300, MT1000, MTX800, MT820, MTX800.
- A134CC Adapter for Motorola radios: HT750, HT1250.

Call for a complete listing of radio adapters

Accessories

- FNGBTN Remote, ring finger push-to-talk button
- HZMTBTN Remote, large Hazmat push-to-talk button
- LPROTEC Leather protective cover for control unit
- FWRAP Sizing wrap, for ear set, foam, 10/pkg
- WAXGD Wax guard, for ear set, cerumen guard, 10/pkg
- 00-RCH1 Chest harness for control unit

It has to be experienced to be believed!



Accessories



Ring Finger Push-To-Talk Remote Button



Large Hazmat Push-To-Talk Remote Button

HEAD & HEARING PROTECTION