

# 3M™ 5000 SERIES HALF FACEPIECE DISPOSABLE AIR PURIFYING RESPIRATORS

## Features & Benefits

- Available in 3 sizes (small, medium, large) to fit many faces.
- Resealable storage bag helps keep respirator clean between uses.
- Low profile design provides wider field of vision and greater comfort while wearing goggles or glasses.
- Lightweight design coupled with cradle suspension helps relieve pressure on back of neck and bridge of nose.
- Can be used alone or combined with filters and adapters.



RESPIRATORY EQUIPMENT

## Ordering Information:

Part Number	NIOSH Approval*
<b>5101</b> (Small) <b>5201</b> (Medium) <b>5301</b> (Large)	Certain organic vapors (a) (b)
<b>5103</b> (Small) <b>5203</b> (Medium) <b>5303</b> (Large)	Certain organic vapors, chlorine, hydrogen chloride, and sulfur dioxide or hydrogen sulfide (escape only) or hydrogen fluoride (a) (b)
<b>5106</b> (Small) <b>5206</b> (Medium) <b>5306</b> (Large)	Certain organic vapors, chlorine, hydrogen chloride, chloride dioxide, and sulfur dioxide, hydrogen sulfide (escape only) ammonia/methylamine, formaldehyde or hydrogen fluoride (a) (b) (c)

\*For respiratory protection against listed contaminants up to 10X PEL.

## \*NIOSH Approval Notes:

- (a) All 5000 respirators and respirator/filter assemblies can be used up to the NIOSH approval limits, 10 times the permissible exposure limit, or the maximum use concentration allowable in applicable OSHA standards, whichever is lower.
- (b) For specific usage, limitations and warning information, see respirator and/or filter packaging, or call 3M OH&ESD Technical Service at 1.800.243.4630.
- (c) OSHA regulations require gas-proof goggles be worn with half facepiece respirators when used against formaldehyde.

## WARNING!

These respirators help reduce exposure to certain airborne contaminants. Misuse may result in sickness or death. Before use, the wearer must read and understand User Instructions provided as part of product packaging. Time use limitations may apply. Call 3M OH&ESD Technical Service at 1.800.243.4630.

## Important

Before using these respirators, you must determine the following:

1. The type of contaminant(s) for which the respirator is being selected.
2. The concentration level of contaminant(s).
3. Whether the respirator can be properly fitted on the wearer's face. All respirator instructions, warnings and use and time limitations must also be read and understood by the wearer before use.

# 3M™ 5000 SERIES DISPOSABLE AIR PURIFYING RESPIRATOR COMPLETE ASSEMBLIES



## NIOSH Approval\* (a), (b)

### P95/Certain organic vapors

These respirator assemblies include a 5000 Series organic vapor respirator, one pair of 5P71 P95 filters and one pair of 501 retainers.

#### Ordering Information

Part No.	Description
51P71	Size: small
52P71	Size: medium
53P71	Size: large



## NIOSH Approval\* (a), (b)

### P100/Certain organic vapors, chlorine, hydrogen chloride, and sulfur dioxide or hydrogen sulfide (escape only) or hydrogen fluoride

These respirator assemblies include a 5000 Series organic vapor/acid gas respirator, one pair of 2091 P100 filters and one pair of 502 adapters.

#### Ordering Information

Part No.	Description
51913	Size: small
52913	Size: medium
53913	Size: large



## NIOSH Approval\* (a), (b)

### P100/Certain organic vapors

These respirator assemblies include a 5000 Series organic vapor respirator, one pair of 2091 P100 filters and one pair of 502 adapters.

#### Ordering Information

Part No.	Description
51911	Size: small
52911	Size: medium
53911	Size: large



## NIOSH Approval\* (a), (b), (c)

### P100/Certain organic vapors, chlorine, hydrogen chloride, chlorine dioxide, sulfur dioxide, hydrogen sulfide (escape only), ammonia/methylamine, formaldehyde or hydrogen fluoride


These respirator assemblies include a 5000 Series multi-gas and vapor respirator, one pair of 2091 P100 filters and one pair of 502 adapters.

#### Ordering Information

Part No.	Description
51916	Size: small
52916	Size: medium
53916	Size: large

**\*Refer to NIOSH Approval Notes: (a), (b), (c) and Respirator Usage Warning Notice on Page 170**

# 3M™ 6000 HALF AND FULL FACEPIECE RESPIRATORS SERIES



## Half Facepiece Respirators 6000 Series

These facepieces can be used with 2000, 5000 and 6000 Series cartridges, filters, adapters and retainers.

### Ordering Information

Part No.	Description
6100	Size: small
6200	Size: medium
6300	Size: large

*Note: Fit test respirator assemblies with probe are available for the 6000 series in small, medium and large sizes. To order add Q to part number (6100Q small, 6200Q medium, 6300Q large)*



## Full Facepiece Respirators 6000 Series

These facepieces can be used with 2000, 5000 and 6000 Series cartridges, filters, adapters and retainers.

### Ordering Information

Part No.	Description
6700	Size: small
6800	Size: medium
6900	Size: large

## 3M™ COMPLETE 6000 SERIES RESPIRATOR ASSEMBLIES



## NIOSH Approval: P100

These respirator assemblies include a facepiece and one pair of 2091 P100 filters.

### Ordering Information

Part No.	Description
6191	Size: small
6291	Size: medium
6391	Size: large

*For help with product selection, visit [www.3M.com/occsafety](http://www.3M.com/occsafety), or call 3M Technical Service at 1.800.243.4630.*

**See Respirator Usage Warning Notice on Page 170**

# 3M™ CARTRIDGES FOR USE WITH 6000 SERIES RESPIRATORS



## No. 6001 Organic Vapor Cartridge

NIOSH approval: Certain organic vapors. (a)(b)

### Ordering Information

**Part No. Packaging**

6001 60 cartridges/case, 2/pkg



## No. 6002 Acid Gas Cartridge

NIOSH approval: Chlorine, hydrogen chloride, and sulfur dioxide or chlorine dioxide or hydrogen sulfide (escape only). (a)(b)

### Ordering Information

**Part No. Packaging**

6002 60 cartridges/case, 2/pkg



## No. 6003 Organic Vapor and Acid Gas Cartridge

NIOSH approval: Certain organic vapors, chlorine, hydrogen chloride, and sulfur dioxide or hydrogen sulfide (escape only) or hydrogen fluoride. (a)(b)

### Ordering Information

**Part No. Packaging**

6003 60 cartridges/case, 2/pkg



## No. 6004 Ammonia and Methylamine Cartridge

NIOSH approval: Ammonia and methylamine. (a)(b)

### Ordering Information

**Part No. Packaging**

6004 60 cartridges/case, 2/pkg



## No. 6005 Formaldehyde and Organic Vapor Cartridge

NIOSH approval: Formaldehyde\*\* and certain organic vapors. (a)(b)(c)

### Ordering Information

**Part No. Packaging**

6005 60 cartridges/case, 2/pkg



## No. 6006 Multi-Gas and Vapor Cartridge

NIOSH approval: Certain organic vapors, chlorine, hydrogen chloride, chlorine dioxide, sulfur dioxide, hydrogen sulfide (escape only) ammonia/methylamine, formaldehyde\*\* or hydrogen fluoride. (a)(b)(c)

### Ordering Information

**Part No. Packaging**

6006 60 cartridges/case, 2/pkg



## No. 6009 Mercury Vapor Cartridge

NIOSH approval: Mercury vapor or chlorine gas. (a)(b)

### Ordering Information

**Part No. Packaging**

6009 60 cartridges/case, 2/pkg

\*Refer to NIOSH Approval Notes: (a), (b), (c) on page 170

CALL 800.833.0247  
281.479.9700

FAX 800.282.4365  
281.479.6321

CALL US TODAY

# 3M™ COMBINATION CARTRIDGES/P100 PARTICULATE FILTERS FOR USE WITH 6000 SERIES RESPIRATORS

RESPIRATORY EQUIPMENT



## No. 60921 P100/Organic Vapor Cartridge

NIOSH approval: P100/certain organic vapors.

(a)(b)

### Ordering Information

**Part No. Packaging**

60921 60 cartridges/case, 2/pkg

**Note: To determine end-of-service life for 3M™ cartridges, use 3M Respirator Service Life Software.**



## No. 60922 P100/Acid Gas Cartridge

NIOSH approval: P100/chlorine, hydrogen chloride, and sulfur dioxide or chlorine dioxide or hydrogen sulfide (escape only). (a)(b)

### Ordering Information

**Part No. Packaging**

60922 60 cartridges/case, 2/pkg



## No. 60923 P100/Organic Vapor/Acid Gas Cartridge

NIOSH approval: P100/certain organic vapors, chlorine, hydrogen chloride, and sulfur dioxide or hydrogen sulfide (escape only) or hydrogen fluoride. (a)(b)

### Ordering Information

**Part No. Packaging**

60923 60 cartridges/case, 2/pkg



## No. 60924 P100 Ammonia Cartridge

NIOSH approval: P100/ammonia and methylamine. (a)(b)

### Ordering Information

**Part No. Packaging**

60924 60 cartridges/case, 2/pkg



## No. 60925 P100 Formaldehyde Cartridge

NIOSH approval: P100/formaldehyde and certain organic vapors. (a)(b)(c)

### Ordering Information

**Part No. Packaging**

60925 60 cartridges/case, 2/pkg



## No. 60926 P100 Multi-Gas and Vapor Cartridge

NIOSH approval: P100/certain organic vapors, chlorine, hydrogen chloride, chlorine dioxide, sulfur dioxide, hydrogen sulfide (escape only) ammonia/methylamine, formaldehyde or hydrogen fluoride. (a)(b)(c)

### Ordering Information

**Part No. Packaging**

60926 60 cartridges/case, 2/pkg



## No. 60929 P100 Mercury Vapor Cartridge

NIOSH approval: P100/mercury vapor or chlorine gas. (a)(b)

### Ordering Information

**Part No. Packaging**

60929 60 cartridges/case, 2/pkg

\*Refer to NIOSH Approval Notes: (a), (b), (c) on page 170

## 3M™ 2000 SERIES FILTERS FOR USE WITH 6000 SERIES RESPIRATORS



### No. 2071 Filter

P95 filter

#### Ordering Information

Part No.	Packaging
2071	100 filters/case



### No. 2076HF Filter

P95 filter with hydrogen fluoride and nuisance level acid gas relief\*

#### Ordering Information

Part No.	Packaging
2076HF	100 filters/case



### No. 2078 Filter

P95 filter with nuisance level organic/acid gas relief\*

#### Ordering Information

Part No.	Packaging
2078	100 filters/case



### No. 2091 Filter

P100 filter

#### Ordering Information

Part No.	Packaging
2091	100 filters/case



### No. 2096 Filter

P100 filter with nuisance level acid gas relief\*

#### Ordering Information

Part No.	Packaging
2096HF	100 filters/case



### No. 2097 Filter

P100 filter with nuisance level organic vapor relief\*

#### Ordering Information

Part No.	Packaging
2097	100 filters/case

\*Nuisance levels refer to concentrations below the OSHA PEL

## 3M™ FILTERS, ADAPTERS, RETAINERS FOR USE WITH 6000 SERIES RESPIRATORS



### No. 5N11 Filter

P95 filter for use with the 501 filter retainer

#### Ordering Information

Part No.	Packaging
5N11	100 filters/case



### No. 5P71 Filter

P95 filter for use with the 501 filter retainer

#### Ordering Information

Part No.	Packaging
5N71	100 filters/case



### No. 501 Filter Retainer

Filter retainer for use with the 5N11 or 5P71 filters

#### Ordering Information

Part No.	Packaging
501	100/case



### No. 502 Filter Retainer

Filter retainer for use with the 2000 Series or 7093 filters

#### Ordering Information

Part No.	Packaging
502	100/case

RESPIRATORY EQUIPMENT

CALL 800.833.0247  
281.479.9700

FAX 800.282.4365  
281.479.6321

CALL US TODAY



## Comfo Classic® Respirators

The Comfo Classic Respirator is an improved version of the Comfo II Respirator, featuring new SoftFeel™ facepiece material, which increases the comfort factor dramatically. A result of extensive materials research by MSA, SoftFeel™ material is an exclusive new formulation that improves the pliability and softness of both Hycar rubber and silicone – the two facepiece materials available with Comfo Classic Respirators. Like earlier Comfo respirator models, the Comfo Classic Respirator features a unique face seal design that gives wearers an exceptional fit.

### Comfo Classic Respirators

Material	Color	Small	Medium	Large
SoftFeel™ Silicone	Black	808072	808071	808073
SoftFeel™ Hycar	Black	808075	808074	808076



## Ultra Twin® Respirators

The Ultra-Twin® Full-Facepiece Respirator has an inturred lip around the edge for a secure, comfortable seal against the face. A large chin cup makes it easy to position. Five suspension head-straps and roller buckles hold the facepiece in place while minimizing hair entanglement. The wide polycarbonate lens is coated to resist scratching and chemical attack. The lens is held in place by a two-piece lens ring which is color coded to indicate the size of the facepiece. Uses the full line of Comfo Cartridges and Filters.

### Ultra-Twin Respirators

Material	Color	Small	Medium	Large
Silicone	Black	480263	480259	480267
Hycar	Black	471298	471286	471310



*Ultra Elite Facepiece with optional Twin-Cartridge Adapter*

## Ultra Elite® Twin Cartridge Respirators

The demand version of the Ultra Elite® Facepiece from MSA can be used as twin cartridge air-purifying respirator for full face respiratory protection. The unique lens design provides a high level of peripheral and downward vision. It is available in three sizes and has large adjustment tabs for easy donning and doffing. A choice of two facepiece materials – SoftFeel™ Hycar rubber or silicone – enhance wearer comfort. For improved communication, there is a speaking diaphragm in front of the wearer's mouth so speech is not blocked. A nose cup reduces lens fogging in low temperatures or high humidity conditions.

### Ultra Elite Facepieces (less Twin Cartridge Adapter)

Material	Color	Small	Medium	Large
SoftFeel™ Silicone	Black	493072	493028	493116
SoftFeel™ Hycar rubber	Black	493064	493020	493108

### Twin Cartridge Adapter (converts Ultra Elite)

Part No.	Description
803622	Twin Cartridge Adapter for Ultra Elite Facepiece

**See next page for list of cartridges and filters for Comfo, Ultra Twin, & Ultra Elite Respirators**

### Warning !

Before using respiratory products the wearer must read and/or understand all warnings, use limitation and fitting instructions accompanying each product. Failure to do so may result in serious bodily injury or death.

# CARTRIDGES FOR MSA AIR PURIFYING RESPIRATORS

## Ordering Information

### Part No. Description

#### Gas and Vapor Cartridges

464031	Organic Vapor, 10/pkg
464032	Chlorine, Chlorine Dioxide, Hydrogen Chloride, Sulfur Dioxide, and Hydrogen Sulfide (escape only), 10/box
464046	Organic Vapors, Chlorine, Chlorine Dioxide, Hydrogen Chloride, Sulfur Dioxide and Hydrogen Sulfide (escape only), 10/pkg
464033	Ammonia, Methylamine, 10/pkg
492790	Multi-gas Cartridge for Organic Vapors, Chlorine, Chlorine Dioxide, Hydrogen Chloride, Sulfur Dioxide, Ammonia, Methylamine, Formaldehyde, Hydrogen Fluoride and Hydrogen Sulfide (escape only), 10/pkg

## Ordering Information

### Part No. Description

#### Combination Gas and Vapor Cartridges with P100

#### Particulate Filters

815178	Organic Vapor Cartridge & P100 Particulate Filter (99.97% Minimum Filter Efficiency), 6/pkg
815179	Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Chlorine Dioxide, Formaldehyde Cartridge & P100 Particulate Filter (99.97% Minimum Filter Efficiency), 6/pkg
815180	Organic Vapor, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Chlorine Dioxide, Cartridge & P100 Particulate Filter (99.97% Minimum Filter Efficiency), 6/pkg
815181	Ammonia, Methylamine Cartridge & P100 Particulate Filter (99.97% Minimum Filter Efficiency), 6/pkg
815182	Multi-gas Cartridge for Organic Vapor, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide (Escape), Hydrogen Fluoride, Chlorine Dioxide, Ammonia, Methylamine, and Formaldehyde & P100 Particulate Filter (99.97% Minimum Filter Efficiency), 6/pkg

## Ordering Information

### Part No. Description

#### Particulate Filters

815175	P100 Particulate Filter (99.97% Minimum Filter Efficiency), 10/pkg
815177	Low Profile P100 Particulate Filter (99.97% Minimum Filter Efficiency), 10/pkg
816662	N95 Non-Oil Particulate Filter (95% Minimum Filter Efficiency), 10/pkg (requires 2 each No. 489353 reusable snap-on cover)
816287	R95 Particulate Filter (95% Minimum Filter Efficiency), 20/pkg (requires 2 each No. 489353 reusable snap-on cover)

## Replacement Parts/Accessories-

### Ordering Information

### Part No. Description

489353	Reusable snap-on cover for N95 prefilter (1/pkg., 2 required)
489219	Reusable snap-on cover for R95 prefilter (1/pkg., 2 required)

## WARNING

(a) An appropriate cartridge change-out schedule must be developed by a qualified professional, unless the cartridge/canister utilizes an end-of-service-life indicator. The change-out schedule must take into account all factors that may influence respiratory protection including specific work practices and other conditions unique to the workers' environment. If using against substances having poor warning properties, there is no secondary means of knowing when to replace the cartridges/canister. In such cases, take appropriate additional precautions to prevent overexposure, which may include a more conservative change-out schedule or using an air-supplied respirator or SCBA. Failure to follow this warning can result in serious personal injury or death.

(b) Do not use any respirator facepiece with a cartridge in atmospheres containing less than 19.5 percent oxygen, or in atmospheres immediately dangerous to life and health.

(c) Do not use any respirator facepiece with a snap-on filter in atmospheres containing less than 19.5 percent oxygen, in atmospheres containing gases or vapors or in atmospheres immediately dangerous to life and health.

**CALL**  
800.833.0247  
281.479.9700

**FAX**  
800.282.4365  
281.479.6321

**CALL US TODAY**  
-177-

[www.safetyfire.com](http://www.safetyfire.com)

## Respiratory Protection for Non-IDLH Hazmat Situations

### Features:

- Made of lightweight thermoplastic elastomer (TPE) material
- Soft, comfortable fit that doesn't interfere with goggles or glasses
- Easy to don and doff
- Head harness does not interfere with ear or eye protection
- Wide elastic bands provide comfortable one-point adjustment
- D clip is easy to fasten, even with gloved hands
- Easy breathing twin cartridges are out of line of vision
- Available with optional voicemitter for enhanced personal communication
- Available in 4 sizes

### Ordering Information

Part No.	Description
7421-111	Facepiece assembly, size small
7421-112	Facepiece assembly, size small/medium
7421-113	Facepiece assembly, size medium/large
7421-114	Facepiece assembly, size large
805622-01	1/4 turn adapter for using two 742 series cartridges with AV-2000 or AV-3000 face pieces

### Features:

- For use on Xcel™ Half-Mask and all Scott® full facepieces
- Full range of NIOSH 42 CFR Part 84 approved filters, chemical cartridges for gas/vapor and combination particulate/gas/vapor cartridges
- Multi-Purpose cartridge protects against multi-hazard vapors and gases allowing freedom to move within areas with multiple exposure hazards
- Quarter turn adapter for full facepieces is low profile allowing for use of communications
- Also available with N95 or R95 filters and enclosure covers
- Provide respiratory protection in Non-IDLH and Non-O2 deficient applications
- Standard package 10/box, also available bulk packed 60 per box - change last character on part number from 2 to 3



### Ordering Information

Part No.	Description - 1 Pair/Pkg
7422-WA1	Acid Gas
7422-WB1	Acid Gas w/ P100 Filter
7422-ZA1	Mercury Vapor/Chlorine Gas
7422-ZB1	Mercury Vapor/Chlorine Gas w/P100 Filter
7422-SC1	Multi-purpose
7422-SD1	Multi-purpose w/P100 Filter
7422-BA1	Organic Vapor
7422-BB1	Organic Vapor w/P100 Filter
7422-YC1	Organic Vapor/Acid Gas
7422-YD1	Organic Vapor/Acid Gas w/P100 Filter
7422-GB1	Ammonia/Methylamine/P100
7422-FP1	P100 Filter
7422-IA1	Formaldehyde
7422-IB1	Formaldehyde w/P100 Filter
7422-FN4	N95 Filter (50 pair/box)
7422-FR2	R95 Filter (25 pair/box)
7422-FE4	Enclosure Cover and Retainer (5 pair per box)



No. 7422-BA1 Cartridge



No. 7422-FE4 Filter Cover & Retainer

### Warning !

Before using respiratory products the wearer must read and/or understand all warnings, use limitation and fitting instructions accompanying each product. Failure to do so may result in serious bodily injury or death.

## AEARO – AOSafety® Mouthbit Respirators

This respirator is specially designed to enable personnel to make quick exits from contaminated areas. It features a soft, natural rubber mouthpiece for effective lip seal, plus a nose-clip to shut off nasal passage. NIOSH 42 CFR Compliant.

### Escape Artist™ Mouthbit Respirator

#### Ordering Information

##### Part No. Description

R9722A Respirator with acid gas cartridge (chlorine, hydrogen chloride, sulphur dioxide, and hydrogen sulfide (escape only)

### Cartridges For Escape Artist™ Mouthbit Respirators

#### Ordering Information

##### Part No. Description

R722A Replacement cartridge for acid gases (chlorine, hydrogen chloride, sulphur dioxide, and hydrogen sulfide (escape only)



### X-IT® Mouthbit Disposable Respirator

- Disposable for economy
- Comes in easy-access carry bag with built in belt clip

#### Ordering Information

##### Part No. Description

R8822A Respirator with acid gas cartridge (chlorine, hydrogen chloride, sulphur dioxide, and hydrogen sulfide (escape only)



## Scott Speed-EVAC® Disposable Mouthbit Respirator

The Speed-EVAC respirator is designed for emergency escape respiratory protection against a variety of toxic gases in low level concentrations. Features a small profile design, soft comfortable mouthpiece with re-designed nosepiece providing firm but gentle pressure to close off the nostrils. It is disposable, requiring no cleaning, sanitizing or cartridge replacement or maintenance. 42CFR84 NIOSH Compliant.

#### Ordering Information

##### Part No. Description

- 803834-01 Disposable mouthbit escape respirator approved for acid gases (chlorine, chlorine dioxide, sulfur dioxide, hydrogen sulfide escape and hydrogen chloride), with pouch.
- 803839-01 Disposable mouthbit escape respirator approved for ammonia / methylamine, with pouch.



**WARNING!!** Before using any respiratory product the wearer must read and/or understand all warnings, use limitations and fitting instructions accompanying each product. Failure to do so may result in serious bodily injury or death.

RESPIRATORY EQUIPMENT

## 7700 Series Half Mask Respirators

### 42CFR84 NIOSH COMPLIANT

The North 7700 Series is the most comfortable half mask respirator available today. What makes it so comfortable? For one thing, the facepiece is made of soft, hypoallergenic silicone. Because silicone is so much more flexible than organic rubber, it conforms to a worker's face. And three facepiece sizes make it much easier to fit your workers.

The North 7700's cradle suspension system also adds to the comfort of this respirator. The North 7700 doesn't slip like respirators with conventional strap systems. The cradle suspension gives an even seal without creating pressure points.

The low profile of the North 7700 gives workers a wide field of vision and room for protective eyewear. Its low inhalation and exhalation resistance makes breathing easier, leaving more energy for production.

### Ordering Information

Part No.	Description
7700-30S	Silicone Half Mask Respirator, Small
7700-30M	Silicone Half Mask Respirator, Medium
7700-30L	Silicone Half Mask Respirator, Large



Shown with No. N7500-3 Cartridges

### WARNING

Before using any respiratory product the wearer must read and/or understand all warnings, use limitations and fitting instructions accompanying each product. Failure to do so may result in serious bodily injury or death.

## 7600 Series Full Facepiece Respirators

### 42CFR84 NIOSH COMPLIANT

The North 7700 Series full facepiece respirators are designed to provide eye, face and respiratory protection while providing optimum comfort. While affording an over 200° field of vision, the hard coated polycarbonate lens protects the wearer's eyes and face against irritating gases, vapors and flying particles. The polycarbonate lens also features optical properties to minimize distortion and astigmatism.

### Ordering Information

Part No.	Description
7600-8A	Silicone Full Facepiece
7600-8AS	Silicone Full Facepiece, Small



Shown with  
No. 7584P100  
Cartridges

**How to Order:** A complete respirator requires a facepiece with appropriate cartridges and/or filters, as well as filter retainers and holders as specified on the facing page.

# NORTH CARTRIDGES/FILTERS FOR USE WITH 7600 & 7700 RESPIRATORS

## Ordering Information

### Part No. Description

#### Gas and Vapor Cartridges

75SC Defender Multi-Purpose Cartridge for Organic Vapor, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide (Escape), Hydrogen Fluoride, Chlorine Dioxide, Ammonia, Methylamine and Formaldehyde, 18 pr/pkg

N75001 Organic Vapor, 18 pr/pkg

N75002 Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Chlorine Dioxide, Formaldehyde, 18 pr/pkg

N75003 Organic Vapor, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Chlorine Dioxide, 18 pr/pkg

N75004 Ammonia, Methylamine, 18 pr/pkg

#### Combination Gas and Vapor Cartridges with P100 Particulate Filters

75SCP100 Defender Multi-Purpose Cartridge for Organic Vapor, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide (Escape), Hydrogen Fluoride, Chlorine Dioxide, Ammonia, Methylamine and Formaldehyde & P100 Particulate Filter (99.97% Minimum Filter Efficiency) 12 pr/pkg

7581P100 Organic Vapor Cartridge & P100 Particulate Filter (99.97% Minimum Filter Efficiency) 12 pr/pkg

7582P100 Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Chlorine Dioxide, Formaldehyde Cartridge & P100 Particulate Filter (99.97% Minimum Filter Efficiency) 12 pr/pkg

7583P100 Organic Vapor, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Chlorine Dioxide Cartridge & P100 Particulate Filter (99.97% Minimum Filter Efficiency) 12 pr/pkg

7584P100 Ammonia, Methylamine Cartridge & P100 Particulate Filter (99.97% Minimum Filter Efficiency) 12 pr/pkg

**WARNING!!** Before using any respiratory product the wearer must read and/or understand all warnings, use limitations and fitting instructions accompanying each product. Failure to do so may result in serious bodily injury or death.

## Ordering Information

### Part No. Description

#### Particulate Filters

7580P100 P100 Particulate Filter (99.97% Minimum Filter Efficiency) 12 pr/pkg

75FFP100 Pancake P100 Particulate Filter (99.97% Minimum Filter Efficiency) 1 pr/pkg

7506N95 N95 Non-Oil Particulate Filter (95% Minimum Filter Efficiency) 5 pr/pkg

7506N99 N99 Non-Oil Particulate Filter (99% Minimum Filter Efficiency) 5 pr/pkg


7506R95 R95 Particulate Filter (95% Minimum Filter Efficiency) 5 pr/pkg

#### Cartridge and Filter Accessories

N750015 Filter Holder for 7506N95, 7506N99, and 7506R95 Filters. Requires N750027 Seal Check / Filter Cover. 12 pr/pkg

N750027 Seal Check / Filter Cover for 7506N95, 7506N99, and 7506R95 Filters. Attaches to Gas and Vapor Cartridges. For Filter use only, use N750015 Filter Holder. 12 pr/pkg

N750029 Shower Cap for 7580P100 Filter. Protects Filter During Abatement using Water or During Decontamination. 12 pr/pkg



RESPIRATORY EQUIPMENT

**CALL** 800.833.0247  
**FAX** 800.282.4365  
281.479.9700 281.479.6321

**CALL US TODAY**

-181-

[www.safetyfire.com](http://www.safetyfire.com)